

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

F 6200

UFI: UVUX-GACK-898W-X4K6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Intensive Oxi-detergent

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Winterhalter Gastronom GmbH  
Street: Winterhalterstrasse 2 - 12  
Place: D-88074 Meckenbeuren  
Telephone: +49 7542 4020  
e-mail: info@winterhalter.com  
Contact person: Business Unit Chemicals  
e-mail: sds@winterhalter.com  
Internet: www.winterhalter.com

**Supplier**

Company name: Winterhalter Australia Pty Ltd  
Street: Unit 1/1, Glendenning Road  
Place: AUS-2761 Glendenning NSW  
Telephone: +61 296 45 3221  
e-mail: sales@winterhalter.com.au  
Contact person: Business Unit Chemicals  
e-mail: sds@winterhalter.com  
Internet: www.winterhalter.com.au

**1.4. Emergency telephone number:**

Domestic emergency number (Chemtrec): +61 2 9037 2994  
international emergency number (Chemtrec): +65 3163 8374

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Skin Corr. 1; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

sodium hydroxide  
Sodium chlorite

Signal word: Danger

Pictograms:



according to Regulation (EC) No 1907/2006

**F 6200**

Revision date: 24.10.2022

Product code: 89300228

Page 2 of 11

**Hazard statements**

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P501 Dispose of waste according to applicable legislation.

**Special labelling of certain mixtures**

EUH031 Contact with acids liberates toxic gas.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	sodium hydroxide			10 - < 25 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
7758-19-2	Sodium chlorite			0.3 - < 2.5 %
	231-836-6		01-2119529240-51	
	Ox. Sol. 1, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 3; H271 H310 H301 H314 H318 H373 H400 H412			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	sodium hydroxide	10 - < 25 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
7758-19-2	231-836-6	Sodium chlorite	0.3 - < 2.5 %
	dermal: ATE = 50 mg/kg; oral: LD50 = 248 mg/kg		

**Labelling for contents according to Regulation (EC) No 648/2004**

< 5 % chlorine-based bleaching agents, < 5 % phosphonates.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

according to Regulation (EC) No 1907/2006

F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 3 of 11

**After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

according to Regulation (EC) No 1907/2006

## F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 4 of 11

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal.

#### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Intensive Oxi-detergent

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
7758-19-2	Sodium chlorite			
Worker DNEL, acute		dermal	systemic	0,58 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,58 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	0,41 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	systemic	0,41 mg/m <sup>3</sup>
Consumer DNEL, acute		dermal	systemic	0,29 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,29 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	0,1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	0,1 mg/m <sup>3</sup>
Consumer DNEL, acute		oral	systemic	0,029 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,029 mg/kg bw/day

## F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 5 of 11

**PNEC values**

CAS No	Name of agent	
Environmental compartment		Value
7758-19-2	Sodium chlorite	
Freshwater		0,00065 mg/l
Freshwater (intermittent releases)		0,0065 mg/l
Marine water		0,000065 mg/l

**Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

Open windows to ensure natural ventilation.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Eye glasses (EN 166)

**Hand protection**

Use of protective gloves (EN 374)

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Not required if handled as intended.

In case of intensive or prolonged exposure wear self-contained breathing apparatus (EN 133).

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	light yellow
Odour:	product-specific
Melting point/freezing point:	< -15 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	14
Water solubility:	easily soluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined

according to Regulation (EC) No 1907/2006

**F 6200**

Revision date: 24.10.2022

Product code: 89300228

Page 6 of 11

Density (at 20 °C):

1,33 g/cm<sup>3</sup>

Relative vapour density:

not determined

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

**Other safety characteristics**

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

&lt; 10 mPa·s

(at 20 °C)

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactions with metals with hydrogen evolution.

Reacts with water and acids, generating heat.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Chlorine gas can be formed with acids.

Hydrogen, in reactions with metals.

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

**10.5. Incompatible materials**

Metal.

Keep away from: Acid

**10.6. Hazardous decomposition products**

No decomposition when stored and used as directed.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 10205,8 mg/kg; ATE (dermal) 2057,6 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7758-19-2	Sodium chlorite				
	oral	LD50 248 mg/kg	Rat	ECHA	OECD 401
	dermal	ATE 50 mg/kg			

**Irritation and corrosivity**

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

according to Regulation (EC) No 1907/2006

F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 7 of 11

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

No information available.

**Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7758-19-2	Sodium chlorite					
	Acute fish toxicity	LC50	106 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer
	Acute algae toxicity	ErC50	1 mg/l	96 h	Selenastrum capricornutum	Manufacturer
	Acute crustacea toxicity	EC50	<1 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7758-19-2	Sodium chlorite	-2,7

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

according to Regulation (EC) No 1907/2006

F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 8 of 11

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1719
<b>14.2. UN proper shipping name:</b>	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium chlorite)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Classification code:	C5
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1719
<b>14.2. UN proper shipping name:</b>	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium chlorite)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Classification code:	C5
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1719
<b>14.2. UN proper shipping name:</b>	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide; caustic soda, Sodium chlorite)



## F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 9 of 11

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-A, S-B

Segregation group:

18 - alkalis

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:**

UN 1719

**14.2. UN proper shipping name:**

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide; caustic soda, Sodium chlorite)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:

No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC):

0%

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

according to Regulation (EC) No 1907/2006

**F 6200**

Revision date: 24.10.2022

Product code: 89300228

Page 10 of 11

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

**Relevant H and EUH statements (number and full text)**

H271 May cause fire or explosion; strong oxidiser.  
 H290 May be corrosive to metals.  
 H301 Toxic if swallowed.  
 H310 Fatal in contact with skin.  
 H314 Causes severe skin burns and eye damage.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## F 6200

Revision date: 24.10.2022

Product code: 89300228

Page 11 of 11

H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*