

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

F 300

UFI: S4SX-9A8V-G982-S6X4

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Hygiene detergent

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Winterhalter Gastronom GmbH  
Street: Winterhalterstrasse 2 - 12  
Place: D-88074 Meckenbeuren  
Telephone: +49 7542 4020  
e-mail: info@winterhalter.com  
Contact person: Business Unit Chemicals  
e-mail: sds@winterhalter.com  
Internet: www.winterhalter.com

**Supplier**

Company name: Winterhalter Australia Pty Ltd  
Street: Unit 1/1, Glendenning Road  
Place: AUS-2761 Glendenning NSW  
Telephone: +61 296 45 3221  
e-mail: sales@winterhalter.com.au  
Contact person: Business Unit Chemicals  
e-mail: sds@winterhalter.com  
Internet: www.winterhalter.com.au

**1.4. Emergency telephone number:**

Domestic emergency number (Chemtrec): +61 2 9037 2994  
international emergency number (Chemtrec): +65 3163 8374

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Skin Corr. 1; H314  
Eye Dam. 1; H318  
Aquatic Acute 1; H400  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

sodium hydroxide  
sodium hypochlorite

**Signal word:** Danger

according to Regulation (EC) No 1907/2006

F 300

Revision date: 07.11.2022

Product code: 89300196

Page 2 of 11

## Pictograms:



## Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

## Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P501	Dispose of waste according to applicable legislation.

## Special labelling of certain mixtures

EUH031	Contact with acids liberates toxic gas.
--------	---

## 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
1310-73-2	sodium hydroxide	5 - < 10 %
	215-185-5	011-002-00-6
	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318	
7681-52-9	sodium hypochlorite	2.5 - < 5 %
	231-668-3	017-011-00-1
	01-2119488154-34	
	Met. Corr. 1, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H290 H331 H302 H314 H318 H335 H400 H410 EUH031	

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide	5 - < 10 %
		Skin Corr. 1A; H314: $\geq 5 - 100$ Skin Corr. 1B; H314: $\geq 2 - < 5$ Skin Irrit. 2; H315: $\geq 0,5 - < 2$ Eye Irrit. 2; H319: $\geq 0,5 - < 2$	
7681-52-9	231-668-3	sodium hypochlorite	2.5 - < 5 %
		inhalation: LC50 = 10,5 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = $>20000$ mg/kg; oral: LD50 = 1100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: $\geq 5 - 100$	

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 3 of 11

**Labelling for contents according to Regulation (EC) No 648/2004**

&lt; 5 % phosphonates, &lt; 5 % phosphates.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 4 of 11

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal.

**Hints on joint storage**

Do not store together with: Acid.

**7.3. Specific end use(s)**

Hygiene detergent

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## F 300

Revision date: 07.11.2022

Product code: 89300196

Page 5 of 11

**DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
1310-73-2	sodium hydroxide			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
7681-52-9	sodium hypochlorite			
Consumer DNEL, long-term		oral	systemic	0,26 mg/kg bw/day
Worker DNEL, long-term		dermal	local	0,5 %
Consumer DNEL, long-term		dermal	local	0,5 %
Worker DNEL, long-term		inhalation	systemic	1,55 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	3,1 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	1,55 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	3,1 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	1,55 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1,55 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	3,1 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	3,1 mg/m <sup>3</sup>

**PNEC values**

CAS No	Name of agent	Value
7681-52-9	sodium hypochlorite	
Freshwater		0,00021 mg/l
Marine water		0,000042 mg/l
Micro-organisms in sewage treatment plants (STP)		4,69 mg/l

**Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

Open windows to ensure natural ventilation.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: Eye glasses (EN 166)

**Hand protection**

Use of protective gloves (EN 374)

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Not required if handled as intended.

In case of intensive or prolonged exposure wear self-contained breathing apparatus (EN 133).

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 6 of 11

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
 Colour: light yellow  
 Odour: like: Chlorine (Cl<sub>2</sub>)

**Test method**

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	> 12 10 g/l
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,24 g/cm <sup>3</sup>
Relative vapour density:	not determined

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

The product is not: Explosive.

**Oxidizing properties**

The product is not: oxidising.

**Other safety characteristics**

Evaporation rate:	not determined
Solid content:	not determined
Flow time:	10 s 4 DIN 53211

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactions with metals with hydrogen evolution.  
 Reacts with water and acids, generating heat.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Chlorine gas can be formed with acids.  
 Hydrogen, in reactions with metals.

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

**10.5. Incompatible materials**

Metal.

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 7 of 11

Keep away from: Acid

**10.6. Hazardous decomposition products**

No decomposition when stored and used as directed.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 31884,1 mg/kg; ATE (dermal) 27302,1 mg/kg; ATE (inhalation vapour) 97,71 mg/l; ATE (inhalation dust/mist) 11,191 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-52-9	sodium hypochlorite				
	oral	LD50 1100 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 >20000 mg/kg	Rabbit	Manufacturer	OECD 402
	inhalation (1 h) vapour	LC50 10,5 mg/l	Rat	Manufacturer	OECD 403
	inhalation dust/mist	ATE 0,5 mg/l			

**Irritation and corrosivity**

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

No information available.

**Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

according to Regulation (EC) No 1907/2006

F 300

Revision date: 07.11.2022

Product code: 89300196

Page 8 of 11

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 1719

**14.2. UN proper shipping name:**

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium hypochlorite)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

III

Hazard label:

8



Classification code:

C5

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

**Inland waterways transport (ADN)****14.1. UN number or ID number:**

UN 1719



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 9 of 11

**14.2. UN proper shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium hypochlorite)

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** III

Hazard label: 8



Classification code: C5

Special Provisions: 274

Limited quantity: 5 L

Excepted quantity: E1

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1719

**14.2. UN proper shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium hypochlorite)

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** III

Hazard label: 8



Special Provisions: 223, 274

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-B

Segregation group: 18 - alkalis

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1719

**14.2. UN proper shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, Sodium hypochlorite)

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** III

Hazard label: 8



Special Provisions: A3 A803

Limited quantity Passenger: 1 L

Passenger LQ: Y841

Excepted quantity: E1

IATA-packing instructions - Passenger: 852

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 856

IATA-max. quantity - Cargo: 60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: HYPOCHLORITE SOLUTION

according to Regulation (EC) No 1907/2006

**F 300**

Revision date: 07.11.2022

Product code: 89300196

Page 10 of 11

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC):

0%

Information according to 2012/18/EU  
(SEVESO III):

E1 Hazardous to the Aquatic Environment

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

F 300

Revision date: 07.11.2022

Product code: 89300196

Page 11 of 11

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*